

TABLE 4.--ACREAGE AND PROPORTIONATE EXTENT OF THE SOILS

Map Percent symbol	Soil name	Acres
AmD2 0.5	Amanda silt loam, 12 to 18 percent slopes, eroded-----	1,522
AmE 0.3	Amanda silt loam, 18 to 25 percent slopes-----	815
AmF 0.2	Amanda silt loam, 25 to 50 percent slopes-----	662
BeA 9.4	Bennington silt loam, 0 to 2 percent slopes-----	26,604
BeB 4.9	Bennington silt loam, 2 to 4 percent slopes-----	13,936
BoA 15.0	Blount silt loam, 0 to 2 percent slopes-----	42,540
BoB 2.8	Blount silt loam, 2 to 4 percent slopes-----	7,926
CaB 5.0	Cardington silt loam, 2 to 6 percent slopes-----	14,233
CaC2 1.3	Cardington silt loam, 6 to 12 percent slopes, eroded-----	3,748
CeB 2.4	Centerburg silt loam, 2 to 6 percent slopes-----	6,927
CeC2 0.7	Centerburg silt loam, 6 to 12 percent slopes, eroded-----	1,863
CnA 0.3	Condit silt loam, 0 to 1 percent slopes-----	810
EdA *	Edwards muck, 0 to 1 percent slopes-----	19

GaC2 0.1	Gallman loam, loamy substratum, 6 to 12 percent slopes, eroded-----	210
GbA 0.2	Gallman silt loam, loamy substratum, 0 to 2 percent slopes-----	598
GbB 0.5	Gallman silt loam, loamy substratum, 2 to 6 percent slopes-----	1,340
GcB 0.1	Gallman silt loam, till substratum, 2 to 6 percent slopes-----	341
GwB 14.1	Glynwood silt loam, 2 to 6 percent slopes-----	39,867
GwC2 2.5	Glynwood silt loam, 6 to 12 percent slopes, eroded-----	7,030
GzC3 0.1	Glynwood silty clay loam, 6 to 12 percent slopes, severely eroded-----	324
HeF 0.1	Heverlo silt loam, 25 to 70 percent slopes-----	282
HyA 0.1	Hyatts silt loam, 0 to 2 percent slopes-----	223
HyB 0.1	Hyatts silt loam, 2 to 4 percent slopes-----	254
JmA 0.2	Jimtown silt loam, 0 to 2 percent slopes-----	427
LbF 0.3	Latham-Brecksville complex, 25 to 70 percent slopes-----	895
LeE *	Leoni gravelly loam, 12 to 25 percent slopes-----	66
LoA 0.4	Lobdell silt loam, channery substratum, 0 to 2 percent slopes, occasionally flooded--	1,076
LsA 0.5	Lobdell, channery substratum-Sloan, till substratum complex, 0 to 2 percent slopes,	1,404
LvB 0.2	occasionally flooded -----	
LyD2 0.9	Loudonville silt loam, 2 to 6 percent slopes-----	413
LyE2 0.8	Lybrand silt loam, 12 to 18 percent slopes, eroded-----	2,580
	Lybrand silt loam, 18 to 25 percent slopes, eroded-----	2,154

LzD3 *	Lybrand silty clay loam, 12 to 18 percent slopes, severely eroded-----	39
MaB *	Martinsville loam, 2 to 6 percent slopes-----	23
MbB 0.6	Martinsville loam, till substratum, 2 to 6 percent slopes-----	1,577
McD2 *	Mentor silt loam, 12 to 18 percent slopes, eroded-----	60
MfA 0.2	Millgrove silt loam, 0 to 2 percent slopes-----	538
MgA 0.1	Millgrove silty clay loam, 0 to 2 percent slopes-----	402
MhA 0.2	Millgrove silty clay loam, 0 to 2 percent slopes, rarely flooded-----	485
MoB 0.3	Milton silt loam, 2 to 6 percent slopes-----	931
MoC2 0.2	Milton silt loam, 6 to 12 percent slopes, eroded-----	424
MpD2 0.2	Milton-Lybrand complex, 12 to 18 percent slopes, eroded-----	436
PaA 0.2	Pacer silt loam, 0 to 2 percent slopes-----	474
PwA 21.4	Pewamo silty clay loam, 0 to 1 percent slopes-----	60,668
Pz *	Pits, gravel-----	30
RdB2 *	Rarden silt loam, 2 to 6 percent slopes, eroded-----	15
RdC2 *	Rarden silt loam, 6 to 15 percent slopes, eroded-----	13
RdF2 0.1	Rarden silt loam, 20 to 50 percent slopes, eroded-----	202
RoA 0.5	Rossburg silt loam, 0 to 2 percent slopes, occasionally flooded-----	1,421
RsA 0.2	Rossburg-Sloan complex, 0 to 2 percent slopes, occasionally flooded-----	598
ScA 0.3	Scioto silt loam, 0 to 2 percent slopes-----	766

